NOB HILL BUSINESS CENTER

SUNRISE, FLORIDA

MODIFICATION FOR ADA COMPLIANCE

INDEX OF CIVIL PLAN SHEETS SHEET NUMBER SHEET DESCRIPTION

1 COVER SHEET AND LOCATION MAP
2 TYPICAL SECTIONS, NOTES & DETAILS

3-5 MODIFICATION PLAN

6 GENERAL DETAILS

1 SHEET SURVEY (PULICE LAND SURVEYORS, INC.)


ALL HORIZONTAL AND VERTICAL CONTROL UTILIZES THE FOLLOWING: HORIZONTAL DATUM - NAD83 VERTICAL DATUM - NAVD 1988

CALL 48 HOURS BEFORE YOU DIG

IT'S THE LAW!
DIAL 811

Know what's below.
Call before you die

ATTENTION IS DIRECTED TO THE FACT THAT THESE PLANS MAY BE ALTERED IN SCALE BY REPRODUCTION AND MAY BE REDUCED IN SCALE. THIS MUST BE TAKEN INTO ACCOUNT WHEN OBTAINING SCALED DATA.





SECTION 18, TOWNSHIP 49 S, RANGE 41 E

PLANS PREPARED FOR

STATE CONTRACTING & ENGINEERING, CORP.

5391 N. NOB HILL ROAD SUNRISE, FL 33351 PHONE: (954) 923-4747


LEGAL DESCRIPTION

PARCEL "B", "SUNRISE INDUSTRIAL PARK, PARCELS 9 AND 25", ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 128, PAGE 124, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA; LESS AND EXCEPT THE LAND CONVEYED TO BROWARD COUNTY, AS DESCRIBED IN DEED RECORDED IN O.R. BOOK 19078, PAGE 42, OF SAID PUBLIC RECORDS.

LEAVE BLANK - FOR CITY USE ONLY

CONSTRUCTION AND MATERIALS SHALL
BE IN ACCORDANCE WITH THE CITY OF
SUNRISE MINIMUM DESIGN AND
CONSTRUCTION STANDARDS

ELEVATIONS SHOWN ON THESE PLANS ARE REFERENCED TO THE NAVD 1988 DATUM (NGVD 29 REFERENCE ELEVATIONS HAVE HAVE BEEN CONVERTED BY SUBTRACTING 1.51')



JOSEPH W. ROLES, JR. P.E. REG. ENGINEER NO. 16965 JOSEPH ROLES AND ASSOC., INC.

CONSULTING ENGINEERS


7501 N.W. 4th STREET, SUITE 101

PLANTATION, FLORIDA 33317

PHONE (954) 581-1945

PHONE (954) 581-1945 CERTIFICATE OF AUTHORIZATION NO. 3948

84-120-44




LOCATION 2 AND 5 - TYPICAL SIDEWALK RAMPS


N.T.S.

PAVEMENT DESIGN

ROADWAY MILL, REGRADE & RESURFACE

MILL EXISTING ASPHALT (1" AVERAGE DEPTH) REGRADE WITH LEVELING RESURFACE WITH 1" TYPE S-III ASPH. CONCRETE





SIDEWALK THICKENED EDGE DETAIL SECTION

REGRADE LIMEROCK BASE TO -

(6" MIN.)

ACHIEVE PROPOSED GRADES

PAVING AND GRADING NOTES:

- 1. ALL LOCAL LIMEROCK BASE MATERIAL FOR ON-SITE PAVEMENT SHALL HAVE A MINIMUM PERCENTAGE OF CALCIUM CARBONATES OF 70.
- 2. THE LIMEROCK BASE SHALL BE COMPACTED TO A MINIMUM DENSITY OF 98% AS DETERMINED BY AASHTO T-180. SUBGRADE SHALL BE COMPACTED TO A MINIMUM DENSITY OF 98% AS DETERMINED BY AASHTO T-180.
- 3. THE TESTING OF SUBGRADE, LIMEROCK BASE, ASPHALT SURFACE COURSE, EMBANKMENT OR PIPE BACKFILL SHALL BE DONE IN THE PRESENCE OF THE ENGINEER AND THE CITY INSPECTOR.
- 4. CONTRACTOR SHALL FILL AND GRADE SITE TO ACCOMMODATE FINISH GRADE ELEVATIONS SHOWN ON GRADING AND DRAINAGE PLAN AND IN ACCORDANCE WITH TYPICAL SECTION AS SHOWN.
- 5. ALL PUBLIC RIGHTS-OF-WAY, BUILDING PADS, ON-SITE PAVEMENT AREAS, DRAINAGE EASEMENTS AND UTILITY TRENCHES SHALL BE COMPLETELY DEMUCKED; DENSITY TESTS WILL BE REQUIRED OVER BACKFILLED TRENCHES AND ON ALL ROADWAYS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PAYMENT FOR ALL
- 6. GRADES SHOWN ARE FINISHED GRADES IN NAVD-88 DATUM. USE CAUTION WHEN REFERRING TO OLDER PLANS IN THE NGVD-29 DATUM.
- 7. UTILITIES ARE TO BE ADJUSTED BY OTHERS UNLESS INCLUDED IN THE CONSTRUCTION OR OTHERWISE NOTED.
- 8. ALL MATERIALS AND WORKMANSHIP SHALL BE IN ACCORDANCE WITH THE BROWARD COUNTY ENGINEERING "MINIMUM STANDARDS" AND THE FLORIDA DEPARTMENT OF TRANSPORTATION "STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION", 2019 EDITION, EXCEPT AS NOTED.
- 9. DETECTABLE WARNING SHALL BE VANGUARD, ARMOR TILE, STAMPED CONCRETE OR EQUAL TO BE APPROVED BY THE ENGINEER AND THE CITY.

EXIST. DRIVEWAY 20' PARKING **VARIES** HANDICAP RAMP GUIDRAIL WHERE SLOPE 12H:1V OR SHOWN ON THE PLAN. FLATTER FDOT STANDARD PLANS INDEX 515-070 SAWCUT AND **EXISTING** MATCH EXIST. WHEEL STOP (TYP.)-BUILDING GRADE SLOPE VARIES SAWCUT AND MATCH 0.015'/FT TYP EXIST. GRADE

PAVEMENT DESIGN PARKING REGRADING

REMOVE EXISTING ASPHALT (1" AVERAGE DEPTH) REGRADE LIMEROCK BASE 6" MIN. CONST. 1" TYPE S-III ASPH. CONCRETE

N.T.S.

4" SIDEWALK WITH

THICKENED EDGE.

GENERAL NOTES AND SPECIFICATIONS:

RESPONSIBILITY OF THE CONTRACTOR.


- CONSTRUCTION AND MATERIALS SHALL BE IN ACCORDANCE WITH THE CITY OF SUNRISE MINIMUM DESIGN AND CONSTRUCTION STANDARDS
- HORIZONTAL AND VERTICAL CONTROL DATA WILL BE PROVIDED BY THE OWNER. ALL CONSTRUCTION STAKING WILL BE THE
- THE LOCATION OF EXISTING UTILITIES AND TOPOGRAPHY HAS BEEN PREPARED FROM THE MOST RELIABLE INFORMATION AVAILABLE TO THE ENGINEER. IT IS THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THE EXACT TOPOGRAPHY AND LOCATION OF EXISTING UTILITIES PRIOR TO CONSTRUCTION SINCE TOTAL ACCURACY OF THE DATA PROVIDED CANNOT BE GUARANTEED.
- PRIOR TO CONSTRUCTION, A PRE-CONSTRUCTION CONFERENCE SHALL BE HELD, WHICH WILL INCLUDE THE ENGINEER, THE CONTRACTOR, THE OWNER, THE CITY REPRESENTATIVE AND ALL UTILITY COMPANIES. THE CONTRACTOR IS TO NOTIFY THE FOLLOWING UTILITY COMPANIES, AGENCIES AND ANY OTHERS SERVING THE AREA (MINIMUM 72 HOURS PRIOR TO CONSTRUCTION):

FLORIDA POWER & LIGHT CO. (954) 797-5000 (954) 979-9220 AT&T (954) 746-3285 CITY OF SUNRISE 1-800-432-4770 SUNSHINE

- THE CONTRACTOR SHALL COMPLY WITH THE PROVISION OF THE FLORIDA TRENCH SAFETY ACT.
- WORK PERFORMED FOR THIS PROJECT WILL NOT BE CONSIDERED AS COMPLETE. AND CONNECTION OF THE UTILITIES ALLOWED UNTIL FINAL ACCEPTANCE OF THE SYSTEMS BY THE ENGINEER, PERMIT AGENCIES AND THE CITY AND UNTIL THE FOLLOWING DOCUMENTS ARE RECEIVED FROM THE CONTRACTOR AND APPROVED BY THE CITY AND THE ENGINEER:
 - 1. CONTRACTOR'S WAIVER AND RELEASE OF LIEN.
 - 2. CONTRACTOR'S LETTER OF WARRANTY (I.E. LETTER AGREEMENT, ONE (1) YEAR GUARANTEE).
 - 3. "AS BUILT" DATA AS PREPARED BY A REGISTERED LAND SURVEYOR EMPLOYED BY THE CONTRACTOR.
 - 4. OTHER ITEMS AS REQUIRED BY THE CITY OF SUNRISE ENGINEERING DEPARTMENT AND THE ENGINEER.
- 7. ALL WORK WITHIN THE PUBLIC RIGHT-OF-WAY SHALL BE IN ADHERENCE TO THE STATE OF FLORIDA "MANUAL OF UNIFORM CONTROL DEVICES" (M.U.T.C.D.) AND IN ACCORDANCE WITH THE REQUIREMENTS OF THE BROWARD COUNTY ENGINEERING DIVISION
- THIS PLAN WAS PREPARED IN ACCORDANCE TO THE 2012 FLORIDA ACCESSIBILITY CODE FOR BUILDING CONSTRUCTION ADOPTED PURSUANT TO SECTION 553.503, FLORIDA STATUTES AND BASED ON THE 2010 ADA STANDARDS FOR ACCESSIBLE DESIGN

THIS SITE WAS DEVELOPED PRIOR TO THE IMPLEMENTATION OF ADA REQUIREMENTS. SOME SIDEWALK AREAS DO NOT COMPLY WITH ALL ADA REQUIREMENTS REGARDING SLOPES. BUT DUE TO SITE LIMITATION FROM THE ORIGINAL CONSTRUCTION THESE AREAS CANNOT BE MODIFIED. THIS PLAN HAS BEEN PREPARED TO ADDRESS LIMITED AND SPECIFIC ADA IMPROVEMENTS FOR HANDICAP PARKING SPACES, HANDICAP RAMPS, OFF-SITE ACCESS, MARKINGS AND ACCESS LIMITATIONS. THIS PLAN IS NOT INTENDED TO ADDRESS ALL SITE ADA ISSUES.

TYPICAL SECTION - HANDICAP PARKING




PAVEMENT MARKING AND SIGNING DETAIL FOR STANDARD AND HANDICAP PARKING DETAIL

ACCESSIBLE PARKING SPACES COMPLYING WITH FLORIDA AND ADA REQUIREMENTS N.T.S.

DESIGNED BY 06/2020 06/2020 DRAWN BY 06/2020 CHECKED BY JWR APPROVED BY 06/2020 JWR NAME DATE REVISIONS NO. DATE BY

F.D.O.T. INDEX NO. 700-102

N.T.S.



JOSEPH ROLES AND ASSOC., INC. CONSULTING ENGINEERS

7501 N.W. 4th STREET, SUITE 101 PLANTATION, FLORIDA 33317 PHONE (954) 581-1945 CERTIFICATE OF AUTHORIZATION NO. 3948

NOB HILL BUSINESS CENTER CITY OF SUNRISE, FLORIDA MODIFICATION FOR ADA COMPLIANCE


JUNE, 2020 DATE: AS SHOWN SCALE: PROJECT NO. 84-120-44


LEAVE BLANK - FOR CITY USE ONLY


TYPICAL SECTIONS NOTES & DETAILS


JOSEPH W. ROLES. JR. P.E. REG. ENGINEER NO. 16965

SHEET NO.












- 2. WHEELSTOPS SHALL BE UNPAINTED OR PAINTED WHITE OR YELLOW EXCEPT AT HANDICAP SPACES WHICH SHALL IN ALL CASES BE UNPAINTED.
- 3. ANCHOR RODS SHALL BE MINIMUM OF #4 REBAR, 12" LONG WITH 7" MINIMUM EMBEDMENT.
- 4. IN PAVER AREAS THE ANCHOR RODS SHALL BE A MINIMUM OF 18" LONG. HOLES SHALL
- 5. WHEELSTOPS ARE REQUIRED ON ALL ANGLED PARKING SPACES (EXCEPT PARALLEL
- SPACES) AND ALL PARKING SPACES LESS THAN 20 FEET IN LENGTH.
- 6. DISTANCE FROM END OF PARKING TO FACE OF WHEELSTOP SHALL BE THE SAME THROUGHOUT THE PROJECT.










LEAVE BLANK - FOR CITY USE ONLY

06/2020 DESIGNED BY 06/2020 DRAWN BY CHECKED BY JWR 06/2020 APPROVED BY 06/2020 JWR BY NAME DATE REVISIONS NO. DATE



JOSEPH ROLES AND ASSOC., INC. CONSULTING ENGINEERS

7501 N.W. 4th STREET, SUITE 101 PLANTATION, FLORIDA 33317 PHONE (954) 581-1945 CERTIFICATE OF AUTHORIZATION NO. 3948

NOB HILL BUSINESS CENTER **CITY OF SUNRISE, FLORIDA** MODIFICATION FOR ADA COMPLIANCE

DATE:		JUNE, 2020			
SCALE:		AS SHOWN			
PROJECT	NO.	84-120-4	4		
				_	

GENERAL DETAILS

JOSEPH W. ROLES. JR. P.E. SHEET NO. REG. ENGINEER NO. 16965